5.BIBLIOGRAPHY

Adesiytin et al. (1983). Studies on well water and possible health risks in Katsina. Nigeria. J. HYG. 90 (2): 199 – 206.

Alagumuthu, G. and M. Rajan (2010). Chemometric studies of water quality parameters of Sankarankovilblock of Tirunelveli, Tamilnadu. J Enviro.Bio.31 (5) 581–586.

APHA (1985). Standard methods for the examination of water and waste water.16th edition, Amer. Publ. Health.Asoc., New York, 1193.

Batley, G.E. (1983). The current status of trace element speciation studies in natural waters. In Leppard, G.G., ed., Trace Element Speciation in Surface Waters and its Ecological Implications, Plenum Press, New York, 17 – 36.

Bishnoi, M. and Malik, R (2008). Ground water quality in environmentally degraded localities of Panipat city, India.J. Environ. Biol. 29(6), 881–886.

Batheja.K., Sinha, A.K. and Seth, G. (2008). Nitrate and Fluoride Contamination in Groundwater of Churu Block, Rajasthan. J. Indian water works association, 45,23.

Census (2001). Census of India, 2001.Primary Census Abstract.

Chadha, M. (1999).A comparative study on the quality and trophic status of some desert water employing bioindicators and indices.Ph.D. thesis, M.D.S. University, Ajmer, India, 127.

Chandour, E.L., Khalil, J.B. and Atta, S.A. (1985). Distribution of carbonates, bicarbonates and pH values in ground water of the Nile Delta Region. EGYPT. J. Ground Water. 23 (1): 35 – 41.

Clark, J.A., Burger, C.A. and Stabatinos, L.E. (1982). Characterization of indicator bacteria in municipal raw water, drinking water and new main water samples.Can. J. Microviol. 28 (9): 1002 – 1013.

CPHEEO, India and PHED, Raj.(1994). Manual on water and waste water analysis.Fifth national refresher training course.

Craun, G.G. (1986). Disease outbreak caused by drinking water. Journal Water Control Federation, Literature Review. 73: 1134 – 1138.

Dix, H.M. (1981). Environmental pollution, John Wiley, New York, 286.

Dott, W. (1983). Qualitative and quantitative examination of bacteria found in aquatic habitat: 6. Bacterial re-growth in drinking water. J. Zentralbl. Bakteriol.Microbiol. 178 (3): 263 – 279.

Datta P.S.(2005). Groundwater ethics for its sustainability. Current Science, Vol. 89, No. 5.

Ghose, N.C. Das, Kabita andSaha. (2003). Distribution of iodine in soil-Water System in the Gandak Basin, Bihar, J. Geol. Soc. India.Vol. 62, 91 – 98.

Gopal, R., Bhargava, J.N.Ghosh, P.K. and Sushila, R. (1983). Fluoride and nitrate levels in ground water of arid districts of Rajasthan, India. J. Ann. Ari. Zone. 22 (1): 87 – 94.

Gupta et al. (1993). Fluoride distribution in ground waters of South Eastern Rajasthan. Indian J. Environ. Hlth, 35 (2): 97 – 109.

Gautam, P., Suniti, S., Prachi, Kumari, A., Madathil, D., Brijesh Nair.A.N. (2012).A review on recent advances in biosensors for detection of water contamination International. J. Environ. Sci , Vol. 2, No 3.

Gautam, R., Bhardwaj, N. and Saini, Y. (2011). Study of fluoride content in groundwater of Nawa Tehsil in Nagaur, Rajasthan. J. Environ. Biol. 32(1) 85 – 89(2011).

Garg, R.K., Rao R.J. and Saksena (2009). Water quality and conservation management of Ramsagar reservoir, Datia, Madhya Pradesh. J. Enviorn. Biol. 30(5) 909 – 916.

Hema, S., Subramani, T. and Elango, L. (2010). GIS Study Vulnerability Assessment of Water Quality in a part of Cauvery. International J. Environ. Science Vol 1, No1, 2010.

Hill, A.R. (1982). Nitrate distribution in the ground waters of South Eastern Region of Ontario, Canada. J. Ground Water, 20 (6): 696 – 702.

Ibrahim M., Asimrasheed M., Sumalatha M. and Prabhakar P. (2011). Effect of Fluoride Contents in Ground Water J. Pharmaceutical applicationVol 2, 128 – 134 (Issue 2, 2011).

Jahangir et al. (1988). Chemical profiling of ground water of Alkharj, Saudi Arabia. Pak. J. Sci. Ind.Res. 30 (12): 890 – 894.

Jain, N.C. (1997). Isolation of Pathogens Bacteria from Water of Bikaner.P.G. Thesis, Rajasthan University, Jaipur.

Jakher, G.R. (1997). Variation in different bacterial counts in a fresh water pond of Jodhpur.Oikoassay, vol. 14 No. 1 & 2, 1997/24 (issued Dec. 2000).

Johri, S.N. and Khetawat, G.K. (1984). Quality of well waters of water sheds of Western Rajasthan and its utilization. J. Oikoassay, 1 (1/2): 24 – 27.

Karthikeyan, S., Palaniappan, PL. RM. and Sabhanayakam, S. (2007). Influence of pH and water hardness upon nickel accumulation in edible fish Cirrhinusmrigala. J. Environ. Biol. 28(2) 489 – 492.

Kayastha, S.L. (1981). An appraisal of water resources of India and need for National water policy. Geogr. J., 5 – 6, 563 – 572.

Keswick et al. (1982) Survival of enteric viruses and indicator bacteria in Ground water. J. Environ. Sci. Health Part A. Environ. Sci, Eng., 17 (6): 903 – 912.

Kumar, A. and Gupta, A. K. (2006). Acute toxicity of mercury to the fingerlings of Indian major carps (catla, rohu and mrigal) in relation to water hardness and temperature. J. Environ. Biol. 27(1) 89–92.

Kumar, D. and Ahmed, S. (2003). The seasonal behaviour of spatial variability of groundwater level in a granitic aquifer in monsoon climate. Current Science, Vol. 84, No. 2.

Lamb, M.A. and Rowe, R.L. (1987). Effect of current velocity on the Physical structuring of diatom (Bacillariophyceae) communities. Ohio. J. Sci., 87: 72 – 78.

Liu, O. (1982). The effect of sewage sludge land disposal on the microbiological quality of ground water. J. Environ, contaminates, 16 (6): 957 – 962.

Lodhi, H. S., Khan, M. A. Verma R. S. and Sharma U. D. (2006). Acute toxicity of copper sulphate to fresh water prawns. J. Environ. Biol. 27(3) 585 – 588.

Manja, K.S., Maurya, M.S. and Rao, K.M. (1982).A simple field test for the detection of faecal pollution in drinking water Bulletin of the World Health Organization. 60 (5): 797 – 901.
Mazid, et al. (1984). Chemical and Microbiological Examination of Well and Nile Water. J. Environement, 10 (3): 259 – 264.
Mohammad, A. and Raziuddin (1986). Studies on heavy metals in ground water at the city of Aligarh, U.P. (India). J. Environment Assess. 6 (2): 181 – 194.
Oger, C., Gavani, F., Delatre, J.M. and Leclere, L. (1981). Propos des coliform et de la colimetric, desequralimentatin, Ann. Microbiol., Paris, B2A. 183.
Ozha D.D., Varshney, C.P. and Bohra, J.L. (1993b). Nitrate in ground waters of some districts of Rajasthan. Indian J. Environ. Hlth, 35 (1): 15 – 19.
Ozha, D.D. and Jain, P.C. (1992). Some toxic components in ground water of desert areas of Rajasthan. Int. J. Toxicol. Occp. And Environ Hith, 1 (3): 9 – 13.
Ozha, D.D. and Sharma, D.C. (1995). Toxicological studies of ground water in some arid areas of Western Rajasthan. Trans. ISDT., 20: 91 – 98.
Parmar, K. and Parmar, V. (2010). Evaluation of water quality index for drinking purposes of river Subernarekha in Singhbhum District,J. Environ.Sci. Vol. 1, No. 1.
Purohit, S.K. (1986). Environmental control handbook.S.K. Publishers, Bikaner. 107 – 132.
Rai, I. and Gulati, V.K. (1997). Nitrate levels in underground water in Western Rajasthan, An ecological analysis. Acta. Ecol., 19 (1): 17 – 22.
Rao, K.S., Dad, N.K. and Pandya, S.S. (1985). Community structure of benthic macro invertebrates and their utility as indicators of pollution in river Khan (Indore), India. Proc. Nat. Symp. Pure and Appl. Limnol. 9 Ed. Adoni, A.D. Bul. Bot. Soc. Sagar, 32: 114 – 119.
Ramachandra, T.V., Rajasekara Murthy, C. and Ahalya,N. (2001). Lake 2000-Proceedings of International Symposium on Restoration of Lakes and Wetlands, Centre for Ecological Sciences, Indian Institute of Science, Bangalore.
Rodvang, S.J., Mikalson, D.M. and Ryan, M.C. (2004). Changes in Groundwater quality in an irrigated area of Southern Alberta. J. Environ. Qual. 33: 476 – 487.
Radha Krishnan, R.,Dharmaraj, K. and RanjithaKumari, B.D. (2007).A comparative study on the physicochemical and bacterial analysis of drinking, borewell and sewage water in the three different places of Sivakasi. J. Enviorn. Biol. 28(1) 105-108.
Roopdevi, H. and Somashekar, R.K. (2012). Assessment of the toxicity of waste water from a textile industry to Cyprinuscarpio. J. Environ. Biol. 33,167**–**171.
SubbaRao, N (2003). Ground water quality: focus on fluoride concentration in rural parts of Guntur district, Andhra Pradesh, India. J. Hydrological sci. 48(5).
Saxena, M.M. (1987). Environmental Analysis-water, soil and air.Agro Botanical Publishers (India). 15 –120.
Saxena, M.M. and Chhabra, C. (1998). Chemical surveillance of drinking water supply in desert city Bikaner (Rajasthan). Proceedings of National Seminar on Management of Natural Resources in Rajasthan : 150 –155.

Shaji, C., H. Nimi and Bindu, L. (2009). Water quality assessment of open wells in around Chavara industrial area, Quilon, Kerala,. J. Environ. Sci. 30(5) 701–704.
Sharma, C.B. and Ghose, N.C. (1987). Pollution of the river Ganga by municipal waste.A case study from Patna. J. Geol. Society India, 30, 369 – 385.
Spalding et al. (1982). Investigation of sources of ground water nitrate contamination in the Burbank-Wallula Area of Washington, USA, J. Hydrol (AMST), 58 (3/4) : 307 – 324.
Stender, J.O. and Adams, J.C. (1982). The effect of black water upon the viability of indicator bacteria. J. Microbiological Bologna 5 (3): 269 – 272.
Shyam, R. and Kalwania.G.S. (2011). Graphical and statistical approaches to assess the quality of ground water of Sikar city, Rajasthan, India. International J. Environ. Science Vol. 2, No 2.
Trivedi, R., Valecha, V. and Bhatnagar, G.P. (1988). Non-homogenous horizontal distribution of faecal bacteria indicating degree of pollution.Indian. J. Appl. and Pure Biol. Vol. 31: 31 – 36.
Trivedi, R., Valecha, V. and Bhatnagar, G.P. (1989). Seasonal variation and differentiation of coliform bacteria in lower Lake of Bhopal. India. Environ. and Ecology. 7 (1): 206 – 210.
Trivedi, R.K. and Goel, P.K. (1984). Chemical and Biological Methods for Water pollution Studies.Environmental Publications, Karad, India.
Valecha, R., Valecha, V. and Bhatnagar, G.P. (1988). Distribution of some bacteria (Total Coliform, E. coli.And Faecal Streptococci) and their ration in the lower lake of Bhopal, India.Indian j. Appl. And Pure Biol. 3 (20): 107 – 113.
W.H.O. (1971). International standards for drinking water, 3rd Ed. Geneva.
W.H.O. (1984). Guidelines for drinking water quality, Vol. II, Geneva, 327.
W.H.O. (1984). Guidelines for drinking water quality, Vol. III, Geneva, 127.